

Erratum to: Development of ITS sequence-based markers to distinguish *Berberis aristata* DC. from *B. lycium* Royle and *B. asiatica* Roxb.

Subramani Paranthaman Balasubramani ·
Gurinder Singh Goraya · Padma Venkatasubramanian

Published online: 25 February 2011
© The Author(s) 2011. This article is published with open access at Springerlink.com

Erratum to: 3 Biotech DOI 10.1007/s13205-010-0001-5

In the Discussion section, second paragraph, the fourth sentence on lines 9–11 should read: While, Andola et al. (2010) have reported that *B. asiatica* has higher berberine content followed by *B. lycium* and *B. aristata*.

Open Access This article is distributed under the terms of the Creative Commons Attribution Noncommercial License which permits any noncommercial use, distribution, and reproduction in any medium, provided the original author(s) and source are credited.

The online version of the original article can be found under doi:[10.1007/s13205-010-0001-5](https://doi.org/10.1007/s13205-010-0001-5).

S. P. Balasubramani · P. Venkatasubramanian (✉)
Centre for Pharmacognosy, Pharmaceutics and Pharmacology,
Institute of Ayurveda and Integrative Medicine (I-AIM),
Foundation for Revitalization of Local Health Traditions
(FRLHT), 74/2, Jarakabande Kaval, Attur Post, Via Yelahanka,
Bangalore 560106, India
e-mail: padma.venkat@frlht.org

G. S. Goraya
Indian Forest Service, Sundernagar,
Mandi 174402, Himachal Pradesh, India